Youth 4 Youth



GOAL

To give Buckeye youth every opportunity to grow-up drug and alcohol-free.















MARCH 9, 2020, DUE TO COVID-19

We Cancelled:

- 7 community events
- 14 school youth events
- 3 school staff ACEs trainings
- . 3 school environmental scans
- 4-week parent education program
- 2 community meetings
- Annual Get in the Way Campaign with youth throughout the City of Buckeye

We Postponed:

- Our drug take back event
- Community safety scan with the AZ National Guard
- Environmental Scans to develop our baseline data and expansion to Tonopah & rural areas.



COMMUNITY VIEWS SURVEY

- Substance use used to be #1 public health concern in Buckeye. COVID, anxiety and depression now surpass concern about substance use. The latter are directly correlated to increased substance use!
- Concerns about marijuana use surpass all other substances.
 60% are worried about youth use increasing because of prop 207.
- 38% say COVID has greatly impacted their children and 3 out of 4 report having conversations with their children about isolation, depression and anxiety.



WEBSITE

STATS
UNIQUE VISITORS

27,792 Unique visitors

- + ACEs (Adverse Childhood Experiences)
- + Opioid Specific
- + Fentanyl/Psycho Stimulants
- + Rx Storage & Disposal



2,611 views



1,556 downloads



This is Why I Carry

Author: Joe Tracey
Posted on 6/1/2021

I carry it because my friend was not a junkie. I carry it because the doctor said it was sade. I carry it for over 70 Arizona youth that died last year and wished someone carried it. Plain

READ MOR

BLOG

20,547 views



414 views



MEDIA STATS



16,024,210 Reach



1,659,500 Reach



217,742 post views



291,854 views



212,468 Impressions



THRIVE STATS

- Reached 1,600+ students
- o Total of 453 sessions
- Total of 9 schools



















I understand the effects of stress

Increase

62%

78%

88%

I can identify my basic emotions and emotional triggers

Increase

48%

76%

31%

I can identify my coping skills for dealing with my stressful feelings and emotions

Increase

109%

108%

167%



DON'T LET ACES DEFINE YOU; BREAK THE CYCLE OF TOXIC STRESS.



DON'T STAY STUCK!

VISIT WHEN YOU'RE READY



→ WOWCOALITION.ORG/RESOURCES

GET-ILWAY GET-ILWAY GET-ILWAY GET-



SUBSTANCE USE DISORDER? DON'T STAY STUCK!

DUIT I SIMI SI UCKI.

VISIT: <u>findtreatment.gov</u>





PAID FOR BY GRANT NUMBER H79TI083320 FROM SAMHSA AND AHCCCS, IN PARTNERSHIP WITH THE ARIZONA GOVERNOR'S OFFICE OF YOUTH, FAITH AND FAMILY.

GETHEWAY GETHEWAY GETHEWAY GETHEWAY

RISKS & HARMS OF OPIOIDS / COMMUNITY FENTANYL ALERT

Opioids are a class of drugs that include synthetic opioids such as fentanyl, and pain relievers available legally by prescription, such as oxycodone (Percocet®), hydrocodone (Vicodin[®]), codeine, morphine, and the illegal drug heroin among many others.

The use of opioids can cause Opioid Use Disorder (OUD), This occurs when dependence interferes with daily life, and causes withdrawal symptoms, making it difficult to stop taking them. Use of opioids can also cause drowsiness. confusion, nausea, constipation, slowed breathing and euphoria.







Counterfeit M30s Laced w/ Fentanyl vs. Real Oxycodone



2mg. That's all it takes to cause the average person to overdose on fentanyl, and drug dealers are cutting counterfeit pills with it. With little to no regulation, many are dying of an opioid overdose.

Fentanyl is a *highly potent* synthetic opioid created to treat people with severe pain, but drug dealers have found a way to profit off it as a filler in nearly all street drugs.

See reverse side for how to reverse an opioid overdose.

For more info, scan the QR code w/ Cell Camera







ET:NEWAY GET:NEWAY GET:NEWAY GET:NEWAY

WAY GETHWAY GETHWAY GETHWAY

ATTENTION: YOU can REVERSE an opioid overdose **BEFORE** first responders arrive!

It is **not harmful** if used on someone who is not overdosing on opioids, and Arizona has a Good Samaritan Law that protects you from prosecution if you use Narcan (naloxone HCL) on a person who you suspect has overdosed on opioids.

SIGNS OF AN OPIOID OVERDOSE

- Shallow/Slow/Raspy/No Breathing
- Blue lips/nails, cold skin
- Falling asleep
- Unresponsive, even to pain

(Rub their sternum [breast bone] with the back of your knuckles, and speak loudly to attempt to wake them.

- Small, constricted "pinpoint" pupils

WHAT TO DO IF SOMEONE YOU KNOW IS SPRAY **EXPERIENCING AN OPIOID OVERDOSE**

* REMEMBER TO CALL 911 FIRST *

Scan this QR code for a thorough explaination

0.1 mL intranasal spray per unit For use in the nose only Rx Only Use NARCAN® Nasal Spray for known or suspected opioid overdose in adults and children Important: For use in the nose only. Do not remove or test the NARC ***ECRWSSEDDM*** until ready to use

in 0.1 mL of nasal spray.

This box contains two (2) 4-mg

CT EXPIRATION DATE BEFORE USE

LOCAL

POSTAL CUSTOMER

wowcoalition.org | info@wowcoalition.org

Way Out West Coalition, P.O. Box 1425, Buckeye, AZ 85326 Youth4Youth a 501(c)(3) nonprofit

One Pill Can Kill!

Get facts on fentanyl OpioidOD.com







This publication was made possible by grant number H79T1083320 from SAMHSA. The views, opinions and content of this publication are those of the author and do not necessarily reflect the views, opinions, or policies of SAMHSA or HHS.

